


13.56 MHz RFID Smart Labels on A4 Sheets or Rolls

SYNOTag™
RFID Systems



Specifications

- Operating frequency: 13.56MHz±200kHz
- Data retention: 10 years
- Write endurance: 10,000 cycles
- Antenna type: Etch
- Inlay material: PET
- Label material: Paper
- Storage temperature: -5°C to 60°C
- Operating temperatures: -5°C to 60°C

Available IC's

- I-Code 1, I-Code Sli, I-Code EPC, Mifare 1 S50, Mifare Ultralight
- 15x36mm Only: I-Code 1, I-Code Sli, I-Code EPC

<u>Label Size</u>	<u>Antenna Size</u>	<u>Labels per A4 Sheet</u>	<u>Labels per Roll</u>
54x86mm	45x75mm	9 pcs	1000
20x50mm	15x45mm	30 pcs	1000
45x45mm	40x40mm	12 pcs	1000
50x50mm	40x40mm	10 pcs	1000
15x36mm	9x25mm	12 pcs	
100x75mm	68x96mm	6 pcs	

Roll Specification

- Roll width: 60mm
- Roll pitch: 96mm
- Antenna type: Etch
- Finishing: With or without printing

Visit us at www.synometrix.com or email us at info@synometrix.com



Outside North America please contact:

John Hannon

SYNO METRIX | **Asia Pacific**
Taipei, Taiwan

IDD: +886 2 2758 1279

Within North America please contact:

Joseph Tyner

SYNO METRIX | **North America**
Minneapolis, Minnesota

USA Direct: (952) 232 0727